

## CONTACT US



**BHARAT MINERALS INDUSTRIES**

<b>PRODUCT :</b>	<b>ABF Bricks</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

## **CHEMICAL ANALYSIS**

<b>PARAMETERS</b>	<b>Limit</b>
Al <sub>2</sub> O <sub>3</sub> (Min)	50
Fe <sub>2</sub> O <sub>3</sub> (Max)	1.2
Industry	Aluminium
Monthly Sourcing	700MT

## **PHYSICAL ANALYSIS**

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>



## CONTACT US



**BHARAT MINERALS INDUSTRIES**

<b>PRODUCT :</b>	<b>Alpha Beta (AB94)</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

## **CHEMICAL ANALYSIS**

<b>PARAMETERS</b>	<b>Limit</b>
Al <sub>2</sub> O <sub>3</sub> (Min)	92
Fe <sub>2</sub> O <sub>3</sub> (Max)	0.5
Industry	Glass
Monthly Sourcing	200MT

## **PHYSICAL ANALYSIS**

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>



## CONTACT US



## BHARAT MINERALS INDUSTRIES

<b>PRODUCT :</b>	<b>Dense Alumina (AL94)</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

## CHEMICAL ANALYSIS

<b>PARAMETERS</b>	<b>Limit</b>
Al <sub>2</sub> O <sub>3</sub> (Min)	92
Fe <sub>2</sub> O <sub>3</sub> (Max)	0.5
Industry	Glass
Monthly Sourcing	50MT

## PHYSICAL ANALYSIS

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>



## CONTACT US



## BHARAT MINERALS INDUSTRIES

<b>PRODUCT :</b>	<b>Tabular Alumina (TBAL96)</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

## CHEMICAL ANALYSIS

<b>PARAMETERS</b>	<b>Limit</b>
Al <sub>2</sub> O <sub>3</sub> (Min)	95
Fe <sub>2</sub> O <sub>3</sub> (Max)	1
Industry	Almatis (Alumina Furnace)
Monthly Sourcing	50MT

## PHYSICAL ANALYSIS

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>



## CONTACT US



## BHARAT MINERALS INDUSTRIES

<b>PRODUCT :</b>	<b>Fused Mullite</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

## CHEMICAL ANALYSIS

<b>PARAMETERS</b>	<b>Limit</b>
Al <sub>2</sub> O <sub>3</sub> (Min)	68
Fe <sub>2</sub> O <sub>3</sub> (Max)	1
Industry	Glass
Monthly Sourcing	30 to 50 MT

## PHYSICAL ANALYSIS

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>





## CONTACT US



**BHARAT MINERALS INDUSTRIES**

<b>PRODUCT :</b>	<b>Pink Alumina</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

## CHEMICAL ANALYSIS

<b>PARAMETERS</b>	<b>Limit</b>
Al <sub>2</sub> O <sub>3</sub> (Min)	80-85
Fe <sub>2</sub> O <sub>3</sub> (Max)	-
Industry	Shinagawa Refractory
Monthly Sourcing	30 to 50 MT

## PHYSICAL ANALYSIS

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>



## CONTACT US



**BHARAT MINERALS INDUSTRIES**


<b>PRODUCT :</b>	<b>Silicon Carbide</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

## **CHEMICAL ANALYSIS**

<b>PARAMETERS</b>	<b>Limit</b>
SIC	70-80
Fe <sub>2</sub> O <sub>3</sub> (Max)	-
Industry	Shinagawa Refractory
Monthly Sourcing	20 MT

## **PHYSICAL ANALYSIS**

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>








**BHARAT MINERALS INDUSTRIES**

<b>PRODUCT :</b>	<b>Brown Fused Alumina Fines (BFA)</b>
<b>PRODUCT CLASS :</b>	<b>REFRACTORY MATERIAL</b>
<b>TYPES :</b>	<b>RECYCLED PRODUCTS</b>

**CHEMICAL ANALYSIS**

<b>PARAMETERS</b>	<b>Limit</b>
Al <sub>2</sub> O <sub>3</sub> (Min)	90
FeO <sub>3</sub> (Max)	1.5
Industry	Shot Blasting
Monthly Sourcing	300MT



**PHYSICAL ANALYSIS**

<b>SIZE</b>	<b>0-1 mm</b>	<b>1-3 mm</b>	<b>3-5 mm</b>	<b>-170Mesh</b>
<b>FLUCTUATIONS</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>± 10 % Max</b>	<b>Passing 90%</b>